



[Home](#)  
[Back to beret page](#)



# DRCOS

SITE <http://dr-cos.com>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [https://twitter.com/@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcoscom>



Seam allowance 1/2in.

Bonding line Aa

Bonding line Ab

# DRCOS

SITE <http://dr-cos.com>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [https://twitter.com/@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcoscom>




Seam allowance 1/2in.

Bonding line BA

Bonding line Ab

Bonding line Ac



### How to make

Sorry if I haven't made myself understood (well) in English. You know I'm poor at English.

1. "side" is Serging(Zigzag Stitch), sew up and loop.
  2. "top" and "side" sew pieces of cloth together, and Serging(Zigzag Stitch)
  3. "belt" is sew up and loop
- .After that piped seam.

**DRCOS**  
 SITE <http://dr-cos.com>  
 MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
 Twitter [https://twitter.com/@drcos\\_com](https://twitter.com/@drcos_com)  
 facebook <https://www.facebook.com/drcoscom>

Bonding line CA