


size
8
25.11

Beret Belt one sheets



Grain line



Seam allowance 1/2in.

ne

Bonding line Aa

Beret Top one sheets



How to make

Sorry if I haven't made myself understood (well) in English. You know I'm poor at English.

1. "side" is Serging(Zigzag Stitch), sew up and loop.
2. "top" and "side" sew pieces of cloth together, and Serging(Zigzag Stitch)
3. "belt" is sew up and loop .After that piped seam.



SITE <http://dr-cos.com>
 MAIL info@dr-cos.com
 T writer https://twitter.com/@drcos_com
 facebook <https://www.facebook.com/drcoscom>

Seam allowance 1/2in.

[Home](#)
[Back to beret page](#)

Bonding line AA

size
8
25.1in.

DRCOS


SITE <http://dr-cos.com>
MAIL info@dr-cos.com
Twitter https://twitter.com/@drcos_com
facebook <https://www.facebook.com/drcoscom>

Grain Line →

Bonding line Aa

size
8
25.1in.

Bonding line Ab



Beret
Side
one sheets

Bonding line BA

Bonding line Ab

Bonding line Ac

DRCOS

SITE: <http://dr-cos.com>
MAIL: info@dr-cos.com
Twitter: [@drcos.com](https://twitter.com/@drcos.com)
facebook: <https://www.facebook.com/drcos.com>

size
8
25.1in.



Seam allowance 1/2in.

Bonding line CA