

match marks


Hunching Cap Top crown one sheets

How to make

Sorry if I haven't made myself understood (well) in English. You know I'm poor at English.

1. "top" V partis Serging (Zigzag Stitch & iron.),
2. "top" and "side" sew pieces of cloth together, and Serging (Zigzag Stitch)
3. Sew the "top" and "side"
4. Flip stitched "brim", and placed in the "brim interfacing"
5. Attach the "brim" to the "side"

size
5 1/2
17.3in.




DRCOS

SITE <http://dr-cos.com>
MAIL info@dr-cos.com
Twitter [@drcos_com](https://twitter.com/@drcos_com)
facebook <https://www.facebook.com/drcoscom>


Seam allowance 1/2in.

Bonding line Aa

Bonding line Ab




Hunching Cap
Side
one sheets



match marks

Seam allowance 1/2in.



SITE <http://dr-cos.com>
 MAIL info@dr-cos.com
 Twitter <https://twitter.com/dr-cos.com>
 facebook <https://www.facebook.com/drcoscom>

DRCOS


Bonding line BA

Bonding line BA

size
5 1/2
17.3in.

Hunching Cap
Brim
two sheets

Seam allowance 1/2in.
match marks



DRCOS
SITE <http://drc-os.com>
MAIL info@drc-os.com
Twitter https://twitter.com/drcos_com
Facebook <https://www.facebook.com/drcoscom>

Bonding line Ba

Bonding line Bb

size
5 1/2
17.3in.

Hunching Cap
Brim
interfacing (heavy weight)
one sheets

DRCOS
SITE <http://drc-os.com>
MAIL info@drc-os.com
Twitter https://twitter.com/drcos_com
Facebook <https://www.facebook.com/drcoscom>

Bonding line BB