

match marks

Hunching Cap Top crown one sheets

How to make

Sorry if I haven't made myself understood (well) in English. You know I'm poor at English.

1. "top" V partis Serging(Zigzag Stitch & iron.),
2. "top" and "side" sew pieces of cloth together, and Serging(Zigzag Stitch)
3. Sew the "top" and "side"
4. Flip stitched "brim", and placed in the "brim interfacing"
5. Attach the "brim" to the "side"



Grain Line

Bonding line Aa

Bonding line AA

Bonding line AA

DRCOS

SITE <http://dr-cos.com>
MAIL info@dr-cos.com
Twitter <https://twitter.com/dr-cos.com>
Facebook <https://www.facebook.com/drcoscom>



Seam allowance 1/2in.

Hunching Cap
Brim
two sheets




Bonding line Ba

match marks

Bonding line AB

Main Line



Seam allowance 1/2in.

Bonding line Aa

Bonding line Ab

DRCOS
SITE: <http://dr-cos.com>
MAIL: info@dr-cos.com
Twitter: <https://twitter.com/dr-cos.com>
Facebook: <https://www.facebook.com/drcoscom>

Hunching Cap
Brim
interfacing (heavy weight)
one sheets

size
7
22in.

DRCOS
SITE: <http://dr-cos.com>
MAIL: info@dr-cos.com
Twitter: <https://twitter.com/dr-cos.com>
Facebook: <https://www.facebook.com/drcoscom>


Bonding line BA

Bonding line BA

Seam allowance 1/2in.

size 7
22in.


match marks



Sheets

Bonding line Ba

Bonding line Bb



Hunching Cap
Side
one sheets

Bonding line BB