

Bonding line AA

Bonding line Ba

Bonding line AB

# DRCOS

SITE <http://dr-cos.com>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [https://twitter.com/drcos\\_com](https://twitter.com/drcos_com)  
facebook <https://www.facebook.com/drcoscom>

size  
5 1/2  
17.3in.

**Tophat  
Top**  
interfacing(heavy weight)  
**two sheets**


size  
5 1/2  
17.3in.

**Tophat  
Brim**  
interfacing(heavy weight)  
**two sheets**

**DRCOS**

SITE <http://dr-cos.com>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [https://twitter.com/drcos\\_com](https://twitter.com/drcos_com)

Seam allowance 1/2in.



**Tophat  
Top**  
one sheets

size  
5 1/2  
17.3in.

Bonding line BA

match marks

match marks

Tophat  
Bonding line BA

**DRCOS**  
SITE <http://dr-cos.com>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter <https://twitter.com/dr-cos>  
facebook <https://www.facebook.com/drcoscom>



**Tophat  
Side**  
interfacing(heavy weight)  
**one sheets**

Bonding line Ba

Bonding line Bb

Bonding line BB

Bonding line Ac



Bonding line CA

size  
5 1/2  
17.3in.

Primo  
Tophnat  
line Ab

# DRCOS

SITE <http://dr-cos.com>

MAIL [info@dr-cos.com](mailto:info@dr-cos.com)

Twitter [https://twitter.com/drcos\\_com](https://twitter.com/drcos_com)

facebook <https://www.facebook.com/drcoscom>

Bonding line Bb

Bonding line Bc

on


Bonding line DA

match marks



Bonding line Bc

Tophat  
Side  
one sheets



Bonding line Bd

match marks

Bonding line DB



### How to make

Sorry if I haven't made myself understood (well) in English. You know I'm poor at English.

- 1.iron on the interfacing(heavy weight) to "top" "side" "brim"
  - 2."side" is sew up and loop
  - 3."top" and "side" sew pieces
  - 4."brim" is sew up and loop
- The surface and the back are same.
- 5.two "brims" are sewn up by a dotted line.
  - 6.In a "brim", bias (A wire is put in.)
  7. "side" "brim" is sewn up.

Seam allowance 1/2in.