

Bonding line AA

Bonding line Ba

Bonding line AB

5 3/4  
18.1in.

Bonding line Ab

# Tophat Brim

interfacing(heavy weight)  
two sheets

# DRCOS

SITE <http://dr-cos.com>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcoscom>

size

5 3/4  
18.1in.

# Tophat Top

interfacing(heavy weight)  
two sheets



match marks

5 3/4  
18.1in.

# DRCOS

SITE <http://dr-cos.com>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcoscom>

size

5 3/4  
18.1in.

# one

Bonding line BA

Grain Line

Seam allowance

# DRCOS

SITE <http://dr-cos.com>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcoscom>

Bonding line Aa

**RCOS**

<https://www.rcos.com>  
[https://twitter.com/rcos\\_com](https://twitter.com/rcos_com)  
<https://www.facebook.com/rcos.com>

**Tophat  
Top  
one sheets**

Bonding line BA

Line

allowance 1/2in.

match marks



**Tophat  
Side**

interfacing (heavy weight)

**one sheets**

Bonding line Ba


Bonding line Bb

Bonding line BB

Top

Bonding line Ab

size  
5 3/4  
18 1/2



**DRCOS**  
SITE <http://dr-cos.com>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcos.com>

Bonding line CA

Bonding line Ac

Bonding line CA

# DRCOS

SITE <http://dr-cos.com>  
MAIL [info@dr-cos.com](mailto:info@dr-cos.com)  
Twitter [@drcos\\_com](https://twitter.com/@drcos_com)  
facebook <https://www.facebook.com/drcoscom>

Bonding line Bb



Bonding line

Top  
Side

one sl


Bonding line CB

Bonding line DA

match marks

size  
5 3/4  
18.1in.

Tophat  
Side  
ne sheets



match marks

Bonding line Bd

Bonding line DB



## How to make

Sorry if I haven't made myself understood (well) in English. You know I'm poor at English.

- 1.iron on the interfacing(heavy weight) to "top" "side" "brim"
  - 2."side" is sew up and loop
  - 3."top" and "side" sew pieces
  - 4."brim" is sew up and loop
- The surface and the back are same.
- 5.two "brims" are sewn up by a dotted line.
  - 6.In a "brim", bias (A wire is put in.)
  7. "side" "brim" is sewn up.

Seam allowance 1/2in.