

[Home](#)

[Back to Tophat page](#)



**Tophat
Side
one sheets**

Bonding line Aa


Bonding line AA

Bonding line AA

Bonding line Ba

Bonding line AB

match marks



Bonding line AB

match marks



size
7 1/4
22.8in.


**Tophat
Brim**
two sheets

Seam allowance 1/2in.

Bonding line Ca

Bais

Grain Line



match marks




Bonding line AC

Bonding line Aa

Bonding line Ab

match marks



match marks

Bonding line BA

Bonding line BA



**Tophat
Side**
interfacing(heavy weight)
one sheets

Bonding line Ba

Bonding line Bb

Bonding line BB

Bonding line BB



**Tophat
Brim**
interfacing(heavy weight)
two sheets

Bonding line Cb



Bonding line Ca

Bonding line BC

DRCOS

SITE <http://dr-cos.com>

MAIL info@dr-cos.com

Twitter https://twitter.com/@drcos_com

facebook <https://www.facebook.com/drcoscom>

How to make

Sorry if I haven't made myself understood (well)
in English. You know I'm poor at English.

- 1.iron on the interfacing(heavy weight) to "top" "side" "brim"
 - 2."side" is sew up and loop
 - 3."top" and "side" sew pieces
 - 4."brim" is sew up and loop
- The surface and the back are same.
- 5.two "brims" are sewn up by a dotted line.
 - 6.In a "brim", bias (A wire is put in.)
 7. "side" "brim" is sewn up.

Seam allowance 1/2in.

DRCOS

SITE <http://dr-cos.com>

MAIL info@dr-cos.com

Twitter https://twitter.com/@drcos_com

Bonding line CA

Bonding line Ab

Bonding line Ac

Bonding line CB

Bonding line Cb



Bonding line Cc

Bonding line CC



**Tophat
Top**
interfacing(heavy weight)
two sheets

Bonding line Ac

Bonding line Ad

Bonding line DA

Bonding line DA


match marks



match marks



**Tophat
Top
one sheets**



SITE: <http://dr-cos.com>
MAIL: info@dr-cos.com
Twitter: <https://twitter.com/dr-cos>
facebook: <https://www.facebook.com/dr-cos.com>

Seam allowance 1/2in.
Bonding line BC

Bonding line BD

Bonding line DB