

[Home](#)

[Back to UVhat page](#)

UV Hat
Brim
interfacing(heavy weight)
one sheets

Bonding line AA

Bonding line Aa


Bonding line AA

Bonding line Ba

Seam allowance 1/2in.



UV Hat
Top
one sheets



facebook <https://www.facebook.com/drcoscom>
Twitter [@drcos_com](https://twitter.com/drcos_com)
MAIL info@drcos.com
SITE <http://drcos.com>

DRCOS

Bonding line AB

Ab

DRCOS

SITE <http://dr-cos.com>
MAIL info@dr-cos.com
TWITTER [@drcos_com](https://twitter.com/@drcos_com)
FACEBOOK <https://www.facebook.com/drcoscom>

Bonding line BA

Bonding line Aa



Bonding line BA

Bonding line Ba



Bonding line Bb



SITE <http://dr-cos.com>
MAIL info@dr-cos.com
Twitter [@drcos_com](https://twitter.com/@drcos_com)
facebook <https://www.facebook.com/drcos.com>

Bonding line BB


DRCOS

SITE <http://dr-cos.com>
MAIL info@dr-cos.com
Twitter <https://twitter.com/dr-cos.com>
facebook <https://www.facebook.com/dr-cos.com>

size
6 1/4
19.6in.



UV Hat
Side
one sheets



Bonding line CA

Seam allowance 1/2in.

DRCOS

SITE <http://dr-cos.com>
MAIL info@dr-cos.com

Bonding line CA

Bonding line Bb

Bonding line Bc

size
6 1/4
19.6in.

UV Hat
Brim
two sheets



Bonding line CB

Bonding line DA

Bonding line Bc

Bonding line Bd


How to make

Sorry if I haven't made myself understood (well) in English. You know I'm poor at English.

1. iron on the interfacing (heavy weight) to "Brim"
 2. "side" is sewn up and loop
 3. "top" and "side" sew pieces
 4. "brim" is sewn up and loop
- The surface and the back are same.
5. two "brims" are sewn up
 6. "side" "brim" is sewn up.

Seam allowance 1/2 in.

Grain Line



Bonding line DB