

[Home](#)

[Back to westernhat page](#)

DRCOS
SITE <http://www.drcos.info/>
MAIL info@drcos.com
Twitter <https://twitter.com/drcos>
facebook <https://www.facebook.com/drcos.com>

○ grommet

size
5 3/4
18.1 in.

Grain Line

Seam allowance 1/2in.

**Westernhat
brim
four sheets**

Bonding line Aa

Bonding line AA

Bonding line AA

bias & wire




Westernhat
brim
interfacing(heavy weight)
two sheets

Bonding line Ba



SITE <http://www.dr-cos.info/>
 MAIL info@dr-cos.com
 Twitter <https://twitter.com/v@drcos.com>
 facebook <https://www.facebook.com/drcoscom>

Bonding line AB



**Westernhat
two side
two sheets**

size
5 3/4
18.1in.

Seam allowance 1/2in.

DRCOS

SITE <http://www.dr-cos.info/>
 MAIL info@dr-cos.com
 Twitter <https://twitter.com/dr-cos>
 facebook <https://www.facebook.com/drcoscom>

- How to make**
 Sorry if I haven't made myself understood (well) I'm poor at English. You know
1. iron on the interfacing(heavy weighty) to "top" "side" "brim"
 2. "side" is sewn up.
 3. "top" and "brim" is sewn up and loop
 4. "brim" is sewn up and loop
 5. The surface and the back are same
 6. two "brims" are sewn up and loop
 7. "side" "brim" are sewn up by a dotted line.
 8. grommet is installed in the grommet location.
 9. to pass a string through a hole.

**Westernhat
Top
two sheets**

size
5 3/4
18.1in.

Seam allowance 1/2in.

DRCOS


SITE <http://www.dr-cos.info/>
 MAIL info@dr-cos.com
 Twitter <https://twitter.com/dr-cos>
 facebook <https://www.facebook.com/drcoscom>

DRCOS

SITE <http://www.dr-cos.info/>
MAIL info@dr-cos.com
Twitter [@drcos_com](https://twitter.com/@drcos_com)
facebook <https://www.facebook.com/drcoscom>



**Westernhat
side
interfacing(heavy weight)
one sheets**



DRCOS

SITE <http://www.dr-cos.info/>
MAIL info@dr-cos.com
Twitter [@drcos_com](https://twitter.com/@drcos_com)
facebook <https://www.facebook.com/drcoscom>



**Westernhat
top
interfacing
(heavy weight)
one sheets**