


match marks

Hunching Cap Top crown one sheets

How to make

Sorry if I haven't made myself understood (well) in English. You know I'm poor at English.

- 1."top" V partis Serging(Zigzag Stitch & iron.),
- 2."top" and "side" sew pieces of cloth together,and Serging(Zigzag Stitch)
- 3.Sew the "top" and "side"
- 4.Flip stitched "brim", and placed in the "brim interfacing"
- 5.Attach the "brim" to the "side"



DRCOS
SITE <http://dr-cos.com>
MAIL info@dr-cos.com
Twitter <https://twitter.com/dr-cos.com>
facebook <https://www.facebook.com/drcoscom>

Seam allowance 1/4"

Bonding line A

Bonding line A

Seam allowance 1/2in.

DRCOS

Twitter: <https://twitter.com/drcos>
MAIL: info@drcos.com
Facebook: <https://www.facebook.com/drcos.com>
T: [11091111](tel:11091111)
SITE: <http://drcos.com>

Seam allowance 1/2in.

Bonding line Ba

Size
5 3/4
18.1in.

Match marks

DRCOS


Twitter: <https://twitter.com/drcos>
MAIL: info@drcos.com
Facebook: <https://www.facebook.com/drcos.com>
T: [11091111](tel:11091111)
SITE: <http://drcos.com>

Hunching Cap
Brim
Interfacing (heavy weight)
one sheets

Size
5 3/4
18.1in.

Bonding line AB

Bonding line BA



Hunching Cap
Side
one sheets

Bonding line Ba

Bonding line Bb

Hunching Cap
Brim
two sheets




match marks

Seam allowance 1/2in.

DRCOS

SITE <http://dr-cos.com>
 MAIL info@dr-cos.com
 TWITTER <https://twitter.com/dr-cos>
 FACEBOOK <https://www.facebook.com/dr-cos.com>



Bonding line BB

match ma

